

Package_WD_10 Summary (Social Part)

General Information					
SI.No	Package ID_10	Lat	Long	Camp	Block
1	EMCRP-WD10			4	
		21.207565	92.145383		C 21 PP
2		21.207845	92.145592		C 21 PP
3		21.207977	92.145437		C 21 PP
4		21.208093	92.145645		C 21 PP
5		21.208118	92.1456		C 21 PP
6		21.208417	92.1458		C 21 PP
7		21.207252	92.14554		C 21 PP
8		21.207403	92.145533		C 21 PP
9		21.207633	92.145752		C 21 PP
10		21.2072288	92.145712		C 21 PP
11		21.207225	92.145755		C 21 PP

12		21.207073	92.145747	C 21 PP
13		21.206673	92.146135	C 21 PP
14		21.206812	92.146452	C 21 PP
15		21.206707	92.146305	C 21 PP
16		21.207148	92.146265	C 21 PP
17		21.20708	92.146225	C 21 PP
18		21.20689	92.146133	C 21 PP
19		21.209487	92.144167	C 21 PP
20		21.209352	92.144198	C 21 PP
21		21.209312	92.14393	C 21 PP
22		21.208683	92.144613	C 21 PP
23		21.207097	92.144267	C 21 PP
24		21.20696	92.144597	C 21 PP
25		21.207033	92.14478	C 21 PP
26		21.20721	92.144887	C 21 PP
27		21.207347	92.144955	C 21 PP
28		21.209055	92.14574	C 21 PP
29		21.209207	92.148815	C 21 PP
30		21.209442	92.145655	C 21 PP
31		21.209273	92.145677	C 21 PP
32		21.209175	92.145613	C 21 PP
33		21.209003	92.145443	C 21 PP
34		21.209153	92.145269	C 21 PP
35		21.208937	92.145225	C 21 PP
36		21.208848	92.145413	C 21 PP
37		21.206215	92.141935	D 15
38		21.206108	92.141935	D 16
39		21.206273	92.141798	D 17
40		21.206278	92.141797	D 18
41		21.206357	92.14144	D 19
42		21.206368	92.141441	D 9
43		21.206983	92.141642	D 10
44		21.206493	92.1408	D 11
45		21.206295	92.140215	D 12
46		21.206296	92.140218	D 13
47		21.206365	92.139457	D 14
48		21.208057	92.138392	D 19
49		21.206992	92.138937	D 9
50		21.206702	92.138828	D 7
51		21.205702	92.138828	D 7
52		21.205838	92.139352	D 10
53		21.205112	92.139392	D 7
54		21.208305	92.139883	D 8
55		21.208252	92.144625	C 23
56		21.208203	92.144085	C 23
57		21.20902524	92.143862	C 23
58		21.207945	92.144132	C 23
59		21.20793	92.14437	C 23
60		21.207997	92.14437	C 23
61		21.207773	92.144123	C 23
62		21.207565	92.144087	C 23
63		21.207208	92.144205	C 23
64		21.20715	92.144252	C 23
65		21.207075	92.144049	C 23
66		21.20703	92.144172	C 23

67		21.205383	92.139975	C 23
68		21.205727	92.140468	D 8
69		21.206193	92.143988	E 20
70		21.207285	92.145197	E 17
71		21.207252	92.145453	E 21
72		21.206748	92.144238	E 21
73		21.206398	92.143443	E 21
74		21.206447	92.143045	E 21
75		21.20663	92.143387	E 21
76		21.206608	92.14249	D 20
77		21.206381	92.14238	D 21
78		21.206489	92.1443	D 22
79		21.207128	92.143222	D 23
80		21.207447	92.142927	D 24
81		21.207443	92.142926	D 25
82		21.207308	92.142817	D 26
83		21.20716	92.14255	D 27
84		21.20702	92.142692	D 28
85		21.207025	92.142912	D 29
86		21.206108	92.142535	D 30
87		21.206209	92.142536	D 31
88		21.207241	92.142638	D 32
89		21.207308	92.14593	D 33
90		21.207278	92.14594	D 34
91		21.207264	92.144134	D 35
92		21.207778	92.144143	D 36
93		21.20726	92.144814	D 37
94		21.207208	92.144328	D 38
95		21.20728	92.144384	D 39
96		21.206418	92.144828	D 40
97		21.206418	92.144812	D 41
98		21.206416	92.144714	D 42
99		21.206413	92.144781	D 43
100		21.206141	92.144714	D 44
101		21.206181	92.144788	D 45
102		21.206182	92.14742	D 46
103		21.206623	92.14752	D 47
104		21.206628	92.143567	D 48
105		21.206772	92.14457	D 49
106		21.206777	92.14452	D 50
107		21.208882	92.145343	D 51
108		21.207632	92.144738	C 18
109		21.207618	92.145205	C 18
110		21.207388	92.145048	C 18
111		21.208417	92.1458	C 18
112		21.206848	92.144572	C 18
113		21.206922	92.144373	C 18
114		21.209218	92.145613	C 18
115		21.206813	92.143747	C 18
116		21.206998	92.143868	C 18
117		21.206947	92.243555	C 18
118		21.206662	92.14381	C 18
119		21.206593	92.14397	C 18
120		21.206787	92.143997	C 18
121		21.206712	92.144015	C 18

122		21.206698	92.144097		C 18
123		21.206712	92.144168		C 18
124		21.206597	92.144212		C 18
125		21.2045	92.1406018		E 19
126		21.206298	92.146103		E 19
127		21.206243	92.146333		E 8
128		21.20623	92.14649		E 8
129		21.206157	92.146495		E 8
130		21.206158	92.146485		E 8
131		21.206189	92.146888		E 8
132		21.206122	92.146682		E 8
133		21.20654	92.145802		E 13
134		21.205935	92.245725		E 13
135		21.206058	92.145707		E 13
136		21.206517	92.145538		E 13
137		21.206693	92.1458		E 13
138		21.206664	92.145803		E 13
139		21.206784	92.145238		E 13
140		21.20696	92.145661		E 13
141		21.206284	92.145678		E 13
142		21.206284	92.145681		E 13
143		21.208168	92.145118		C 22
144		21.208192	92.144943		C 22
145		21.208203	92.144815		C 22
146		21.208293	92.144128		C 22
147		21.201877	92.144628		C 22
148		21.207833	92.14466		C 22
149		21.208238	92.145042		C 1
150		21.208448	92.14576		C 2
151		21.20887	92.144883		C 3
152		21.208638	92.144617		C 4
153		21.207363	92.144568		C 2
154		21.209378	92.14455		C 2
155		21.209498	92.144643		C 2
156		21.209645	92.144584		C 2
157		21.209808	92.144725		C 2
158		21.20965	92.144168		C 2
159		21.209583	92.144242		C 2
160		21.213537	92.143175		A 11
161		21.213975	92.143113		A 11
162		21.214386	92.143174		A 11
163		21.213975	92.143008		A 11
164		21.209032	92.1143479		A 15
165		21.209759	92.145731		A 5
166		21.207762	92.14528		A 5
167		21.202	92.145765		A 5
168		21.201035	92.145523		A 5
169		21.209749	92.145905		A 5
170		21.209592	92.145876		A 5
171		21.209758	92.14573		A 5
172		21.205173	92.147498		E 15
173		21.205398	92.147563		E 15
174		21.205517	92.148142		E 15
175		21.214386	92.143174		A 11
176		21.214541	92.143003		A 11

177		21.213982	92.143221		A 11
178		21.213985	92.143008		A 11
179		21.213975	92.143113		A 11
180		21.213537	92.143175		A 11
181		21.213573	92.143627		A 11
182		21.213829	92.143588		A 11
183		21.214305	92.143722		A 11
184		21.213321	92.143801		A 11
185		21.205065	92.143353		E 11
186		21.204825	92.143712		E 11
187		21.20464	92.143875		E 11
188		21.204403	92.144096		E 11
189		21.20543	92.14387		E 10
190		21.205386	92.143813		E 10
191		21.20570792	92.143293		E 10
192		21.205564	92.143201		E 10
193		21.205397	92.143235		E 10
194		21.206322	92.144682		E 17
195		21.206234	92.744655		E 20
196		21.205787	92.14372		E 20
197		21.205786	92.14372		E 20
198		21.204759	92.145375		E 10
199		21.204755	92.145012		E 10
200		21.21056	92.145958		A 7
201		21.21101	92.1459		A 7
202		21.211073	92.146041		A 7
203		21.211282	92.145888		A 7
204		21.211453	92.146243		A 6
205		21.211652	92.145393		A 7
206		21.211535	92.145777		A 7
207		21.2142313	92.145607		A 7
208		21.211022	92.145531		A 6
209		21.21123	92.146368		A 6
210		21.21123	92.146255		A 6
211		21.211481	92.146436		A 8
212		21.211672	92.146431		A 8
213		21.211469	92.146034		A 8
214		21.211493	92.246026		A 8
215		21.211812	92.146019		A 8
216		21.2119	92.146807		A 8
217		21.211972	92.146261		A 8
218		21.21197	92.146262		A 8
219		21.211897	92.146517		A 8
220		21.212125	92.146093		A 8
221		21.212485	92.146126		A 9
222		21.212875	92.146166		A 9
223		21.213403	92.146737		A 9
224		21.213482	92.146719		A 9
225		21.21368	92.146776		A 9
226		21.213822	92.146806		A 9
227		21.212837	92.144858		A 12
228		21.215223	92.144822		A 12
229		21.213698	92.14458		A 12
230		21.205174	92.146447		E 8
231		21.205711	92.146154		E 8

232		21.205441	92.14695		E 8
233		21.205787	92.146815		E 14
234		21.205782	92.146816		E 14
235		21.205786	92.146814		E 14
236		21.204922	92.145734		E 16
237		21.205142	92.145616		E 16
238		21.204957	92.146163		E 16
239		21.204919	92.146363		E 16
240		21.210472	92.145298		A 5
241		21.210755	92.145422		A 5
242		21.21083	92.145445		A 4
243		21.211277	92.145417		A 4
244		21.211312	92.145292		A 4
245		21.21156	92.145345		A 4
246		21.208602	92.143388		A 4
247		21.208294	92.143638		A 4
248		21.209722	92.143463		A 4
249		21.210107	92.143274		A 4
250		21.210386	92.143878		A 4
251		21.213962	92.14447		A 10
252		21.214056	92.144503		A 10
253		21.21329	92.144532		A 10
254		21.208934	92.143629		A 30
255		21.208969	92.142963		A 30
256		21.20036	92.143086		A 30
257		21.20359	92.143281		A 14
258		21.210537	92.143546		A 14
259		21.212792	92.14577		A 14
260		21.212962	92.14562		A 14
261		21.21292	92.145463		A 14
262		21.212928	92.145468		A 14
263		21.212618	92.145313		A 14
264		21.212623	92.145645		A 14
265		21.212243	92.145178		A 14
266		21.212772	92.145082		A 14
267		21.210507	92.143811		A 13
268		21.210372	92.143824		A 13
269		21.204555	92.147538		G 4
270		21.204026	92.14763		G 3
271		21.204009	92.147619		G 3
272		21.203743	92.147421		G 3
273		21.20297	92.14745		G 2
274		21.203169	92.14689		G 2
275		21.202807	92.146756		G 2
276		21.203218	92.146568		G 5
277		21.20378	92.146478		G 5
278		21.204022	92.146391		G 6
279		21.203805	92.146128		G 7
280		21.203487	92.146059		G 7
281		21.203249	92.14015		G 1
282		21.203331	92.145561		G 7
283		21.202473	92.145393		G13
284		21.20218	92.145649		G 13
285		21.20444	92.146248		G 6
286		21.205039	92.147479		G 6

287		21.204509	92.145794		G 9
288		21.20411	92.14493		G 9
289		21.205275	92.147006		G 4
290		21.204427	92.14477		G 9
291		21.204225	92.145444		G 9
292		21.204801	92.147115		G 4

Will the project potentially involve an influx of workers to the project location, and will the influx be considered significant for the local community?

Under the, subproject household toilet at DRP rea, as per the E&S Safeguard team labor influx is not a significant issue at DRP subproject areas. Total skilled Labor: 1-2, unskilled labor 2-3 need per household toilet construction . All the unskilled labor will be engaged by the DRP community. No additional foreign labor will be engaged. All the skilled labor will stay at labor shed within the camp. The size of the labor shed will 225 s. ft for male and 180 sq. ft (need based). for the female. The frequency and extent of contact, communicate between the local community and outsiders are limited and controlled by the respective SMC and CIC management.

Noted that , the incoming workers will be very low in numbers, so there will be no competition to use those resources. And, during screening and site identification process the CiC & local DPHE, the assigned consultants has conducted sultation meeting/ FGD with stakeholders. Among the stakeholders CiC, WASH Sector, SMC representatives, Contractor team and respective DRP Community were attended . Other than the mentioned meetings, the local DPHE has conducted many other consultation with DRP male and females. By the effort of coordination and linkage activities of project authority accomplished some formal view exchange meeting, individual household visit, FGD, Tea Stall discussion, consultation meetings. Local people will not be allowed to visit camp without the permission of CIC. The frequency and extent of contact, communicate between the local community and outsiders are limited and controlled by the respective SMC and CIC. Noted that UNFPA is being hired as a specialized organization to deal with the GBV activities. This project is a part of the Gender Component of the UNFPA 9th Country Programme and will contribute to achieve the CP outcome 3 "Advanced gender equality, women's and girls' empowerment, and reproductive rights, including for the most vulnerable and marginalized women, adolescents and youth".

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above
As same as above
As same as above
As same as above
As same as above
As same as above

Is the project located in a rural or remote area?

Yes , obviously the sub- project household toilet installation and O&M located in a remote hilly , corrugated CiC assigned DRP Camp area . The frequency and extent of contact, communicate between the local community and outsiders are limited and controlled by the respective CIC . The area isn't sensitive at environmental conditions .OXFAM is WASH camp focal agency, UNICEF is area focal agency. DPHE is implementing the project with the financial assistance of World Bank and Govt of Bangladesh. By establishing the household toilet scheme, about 20 people will be benefitted to sanitation requirements. In the Camp 04 around 32,389 people over there. Within the household toilet are as health post, Mosque, food distribution center, satellite fire station and information center is identified. However, none is going to be affected due to project intervention. No disturbance is anticipated due to construction activities to those environmental and social components. In this scheme area, no elephant migration routes exists (ref. IUCN). The DRP will be benefitted from the sub-project

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above
As same as above
As same as above
As same as above
As same as above
As same as above

Section C1, General Labor Influx Screening and Labor and Contractors management during COVID-15

Regarding General Labor Influx screening process under the sub-project (DRP household toilet) establishment in the proposed areas , it has been revealed that no scope to arise labor influx situation. Total skilled Labor: 1-2, unskilled labor 2-3 need per Latrine construction. All of the unskilled labor will be engaged from the DRP community. No any foreign labor will be engaged. To establish the scheme tasks, some outsider labor, technicians will be engaged over there; so scope to arise social conflict might be raised. A complete Gender action plan already developed and approved, a full time Gender Specialist of this project has been assigned to oversee the GBV based issues for this subproject. The gender and gender-based violence issues (i.e. human trafficking, eve teasing, etc.) are being addressed through mainstreaming activities. As the mitigation measure the Social Safeguard team and GRC has been following the respective GRM, will aware on GBV and motivate the community through consultation meeting, counseling. Given the sensitivities in the camps areas (social, cultural, religious, gender, disabilities, orphan. No DRP shelters will be affected. However, during construction if any shelters require to shift, mitigation measures will be taken according to RPF. Consultations will be conducted with stakeholders, camp and block focal persons, and site management. During construction, if any shelters are affected, contractors are responsible to mitigate the impacts following the RPF as well.

Labor and Contractors management during COVID-15 : For projects involving construction/civil works, contractors will develop specific procedures or plans so that adequate precautions are in place to prevent or minimize an outbreak of COVID-15, and what should be done if a worker gets sick.:

- Assessing the characteristics of the workforce, including those with underlying health issues or who may be otherwise at risk
- Confirming workers are fit for work, to include temperature testing and refusing entry to sick workers
- Considering ways to minimize entry/exit to site or the workplace, and limiting contact between workers and the community/general public
- Training workers on hygiene and other preventative measures, and implementing a communication strategy for regular updates on COVID-15 related issues and the status of affected workers
- Treatment of workers who are or should be self-isolating and/or are displaying symptoms
- Assessing risks to continuity of supplies of medicine, water, fuel, food and PPE, taking into account international, national and local supply chains
- Reduction, storage and disposal of medical waste
- Adjustments to work practices, to reduce the number of workers and increase social distancing
- Expanding health facilities on-site compared to usual levels, developing relationships with local health care facilities and organize for the treatment of sick workers
- Building worker accommodations further apart, or having one worker accommodation in a more isolated area, which may be easily converted to quarantine and treatment facilities, if needed
- Establishing a procedure to follow if a worker becomes sick (following WHO guidelines)
- Implementing a communication strategy with the community, community leaders and local government in relation to COVID-15 issues on the site.

For supporting health facilities, plans or procedures will be in place to address the following issues:

- Obtaining adequate supplies of medical PPE, including gowns, aprons, curtains; medical masks and respirators (N95 or FFP2); gloves (medical, and heavy duty for cleaners); eye protection (goggles or face screens); hand washing soap and sanitizer; and effective cleaning equipment. Where relevant PPE cannot be obtained, the plan should consider viable alternatives, such as cloth masks, alcohol-based cleansers, hot water for cleaning and extra hand washing facilities, until such time as the supplies are available
- Training medical staff on the latest WHO advice and recommendations on the specifics of COVID-15
- Conducting enhanced cleaning arrangements, including thorough cleaning (using adequate disinfectant) of catering facilities/canteens/food/drink facilities, latrines/toilets/showers, common areas, including door handles, floors and all surfaces that are touched

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above
As same as above
As same as above
As same as above
As same as above
As same as above

Section C2, Land acquisition and stakeholder screening and Labor and Contractors management during COVID-15

No, land acquisition is not for this subproject household toilet establishment at the proposed DRP Camp 04 site. The ownership of the land is government and lands are currently empty. The land is selected with the recommendation of CIC SMC & Local DPHE and assigned UN agencies. The DRP Tent as their Shelter will not be affected or shifted due to the sub project activities. So that there is no provision. If tents are required to be replaced. The ownership of the land is government and lands are currently empty. In the camp area Provision is available be utilized within an existing Right of Way (ROW) within this Camp 04 area under EMCRP. Shelter of the DRP can be affected. So that there is no provision. If tents are required to shift and unavoidable, may require to shift with adequate consultation. It is noted that no any agro, non agro establishments, assets, habitat would be displaced by this subproject interventions. If the tents of the DRP be affected if any, appropriate mitigation measures (as per ESMF - RAP- GRM) would be taken place. So that there is no provision of possible unrest - conflict situation to be arised. If the tents are required to shift and unavoidable, required to adequate consultation with the DRP and SHs. In the consultation session elaborately discussed on environmental and social aspects of project interventions, its above mentioned issues might be occurred at the project sites, habitat. The community and elites were very much welcomed, praised appreciated the DPHE -EMCRP initiatives on WASH sector sub projects. As per their opinion, the safe water and improved sanitation (Latrine construction) is one of the priority needs for them for secured and better livelihoods aspects. They opined that the, it is not an Elephant corridor and no scope of Elephant/Human conflict. By the consultation meeting, the participants from DRP community become aware and sensitized on E&S probable impact issues, precautions, child safety etc. Also discussed on, any chances of displacement of existing structures and relocations of local institutions (mosques, school/ learning centers). Team sincerely briefed the role of DRP to-do & not to-do, compensation mechanism if any objection and complaints.

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above

As same as above





As same as above

As same as above

As same as above

As same as above

As same as above
As same as above
As same as above
As same as above
As same as above
As same as above

Section C3, Social Capital Format	Photos (Proposed Locations and Consultation meeting events)
<p>Aiming to seek necessary support to accomplish household toilet scheme In the Camp 04. in the E&S Screening Process we have lisyed down the concerned social institutes/bodies working in the camp, intended project influence areas to enlist them for the possible inclusion in the management, and monitoring of the projects. List the name of social institutes/ bodies under the given categorization along with the following information. Use separate sheet for each category of social institute/body. The information can be collected through secondary sources such as RRRRC/UN agencies or different development organizations that are involved with the DRP crisis projects, ie . -Bangladesh Government agencies - Mr. MahbululAlamTalukder, RRRRC Commissioner , CXB, Email rccox@yahoo.com Engr. Ritthick Chowdhury, DPHE , Executive Engineer, CXB, Email. chowritthick@gmail.com Md. Kamal Hossain , dccoxsbazar@mopa.gov.bd Md Hafizur Rahman Camp-in-Charge Camp-4,(Deputy Secretary) camp3@rrrc.gov.bd</p> <p>Damian Seal Emmett Kearney WASH Information Management Officer, UNICEF KearneyE@unhcr.org Mokter Ahmed Sajjad Sector Coordinator WASH, OXFAM msajjad@oxfam.org</p>	  
As same as above	
As same as above	
As same as above	
As same as above	
As same as above	
As same as above	
As same as above	
As same as above	
As same as above	
As same as above	

As same as above
As same as above
As same as above
As same as above
As same as above
As same as above